

## ◆ DRXT28s04 (iPS cells expressing the third highest HLA in Japan※1)

Clone ID	DRXT28s04	Product	Human iPS cells
Source	Peripheral Blood, Human	Race	Japanese
Passage No.	9	Gender	Male
Lot No.	20170711-00	Manufacture Dates	July 11 <sup>th</sup> , 2017
Culture medium	StemFit AK03N	Substrate	iMatrix-511MG
Culture Method	Feeder-free (**2)		
Plasmids for	pCE-hSK, pCE-hUL, pCE-hOCT3/4, pCE-mp53DD, pCXB-EBNA1		
reprograming			
Use and Provision	Please check our web site ;		
of this cell stock	https://www.cira-foundation.or.jp/e/project/stock.html		

<sup>(※1)</sup> **Reference**; Okita, *et. al.*, Nat Methods. 2011 8(5): 409-412

## **Test Result**

Test	Method	Result
Sterility	BacT/ALERT	Negative
Mycoplasma	PCR	Negative
Endotoxin	LAL	≦ 5 EU/mL
Virus		
(HBV, HCV, HIV, HTLV,	PCR	Negative
Parvovirus B19)		
HLA typing	PCR-SBT	Consistent with the donor cells
(HLA-A, B, DR)	FUR-SDI	
STR genotyping	PCR	Consistent with the donor cells
Morphology	Microscope	Consistent with human ES cells
	Conventional Giemsa	
Karyotype	analysis	46,XY[20]
	G-banding	
Plasmid remnants	qPCR	Below the limit of quantification
CNV <sup>(*3)</sup>	WGS, SNP	No de novo CNVs (>1kbp) were found in COSMIC Cancer Gene Census (ver.83) and Shibata list <sup>(**5)</sup> .
SNV/Indel <sup>(※4)</sup>	WGS, WES	No de novo non-synonymous SNVs/Indels were found in COSMIC Cancer Gene Census (ver.83) and Shibata list <sup>(※5)</sup> .
I in differentiate d	Microarray <sup>(※7)</sup>	POU5F1 : 5.4%、NANOG : 11.9% (Relative expression levels of GAPDH)
Undifferentiated markers	Flow cytometry (**7)	TRA-1-60: 98.1% SSEA4: 99.6% TRA-2-49: 99.5%


<sup>(%2)</sup> Reference; Nakagawa, et. al., Nat Biotechnol. 2008 26(1):101-106



Thawed postnatal cells	Counting the number of the cells (**6, 7)	1.18×10 <sup>5</sup> cells (Survival rate; 99.0%)
Number of proliferating cells after thawing	Counting the number of the cells after culturing for 5 days(**6,7).	$8.1 \times 10^5$ cells (Number of seeded cells : 1.13 $\times 10^5$ cells)
Doubling time (h)	Counting the number of the cells (*6,7)	P12→P13: 40.1 P13→P14: 28.5 P14→P15: 31.3 P15→P16: 28.5 P16→P17: 26.9

- (%3) CNV; Copy Number Variation
- (¾4) SNV/Indel; Single nucleotide variants /Insertion Deletion
- (%5) The PMDA Science Board "Current Perspective on Evaluation of Tumorigenicity of Cellular- and Tissue-based Products Derived from induced Pluripotent Stem Cells (iPSCs) and iPSCs as Their Starting Materials" (Cellular- and Tissue-based Products Subcommittee, 20 August 2013)
- (※6) ThermoFisher Countess®
- (※7) The result of # 1 out of 3 frozen stocks is shown.

## ■Image



Please contact us if you have any questions.

(ips-request@cira-foundation.or.jp)

